	Application No.	Applicant(s)
Notice of Allowability	10/555,103	MAEUSER, HELMUT
	Examiner	Art Unit
	Shih-Chao Chen	2821
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31 1. This communication is responsive to the RCE filed on Dec	is (OR REMAINS) CLOSED in or other appropriate comma BIGHTS. This application is a and MPEP 1308.	n this application. If not included unication will be mailed in due course. THIS
•	<u>,. 10, 2007</u> .	
2. The allowed claim(s) is/are <u>33-48</u> .		
 3. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do 	e been received. e been received in Applicatio	on No
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv	MENT of this application. itted. Note the attached EXA	AMINER'S AMENDMENT or NOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must	et ha submitted	
(a) ☐ including changes required by the Notice of Draftspers		v (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date	_	(1 10 0 10) attached
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1	s Amendment / Comment or	
each sheet. Replacement sheet(s) should be labeled as such in t	he header according to 37 CF	R 1.121(d).
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	sit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.
•		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of In	formal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date		Mail Date Amendment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allowance
·	9. 🗌 Other	
		Shik-lipo Classing SHIH-CHAO CHEN PRIMARY EXAMINER

10/555,103 Art Unit: 2821

DETAILED ACTION

Request for Continued Examination

The request filed on December 10, 2007 for a Request for Continued
 Examination (RCE) under 37 CFR 1.114 based on parent Application No. 10/555,103
 acceptable and a RCE has been established. An action on the RCE follows.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 45, lines 1-2, "The antenna glazing as claimed in claim 33, wherein the the two layers" is changed to --The antenna glazing as claimed in claim 44, wherein the two layers--.

Allowable Subject Matter

- 3. Claims 33-48 are allowed (Claims 1-32 are canceled by the Applicant).
- 4. The following is an examiner's statement of reasons for allowance:

The primary reason for the allowance of claims 33-48 is the inclusion of the limitations of a coupling electrode including external connections and a wire, the electrode being capacitively coupled to the cladding through an insulating layer, wherein the wire includes two ends electrically connected with the external connections, the two ends located at the edge zone, and the wire is arranged such that one end of

Application/Control Number:

10/555,103

Art Unit: 2821

the two ends is located at the edge zone, is conducted over the surface covered by the cladding, and is returned to the edge zone by forming at least one loop. It is these limitations found in each of the claims, as they are claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shih-Chao Chen whose telephone number is (571) 272-1819. The examiner can normally be reached on Monday-Thursday from 7 AM to 5:30 PM, Fri. off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas W. Owens can be reached on (571) 272-1662. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/555,103 Art Unit: 2821

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Shih-Chao Chen Primary Examiner Art Unit 2821

Shih Thao Chen SHIH-CHAO CHEN PRIMARY EXAMINER

SXC January 12, 2008